



2008 NWEA ANNUAL CONFERENCE

**“Water is Life and Infrastructure  
Makes It Happen”**

May 13-16, 2008

**John Ascuaga’s Nugget Casino & Resort  
Sparks, Nevada**

# CONFERENCE PROGRAM



Presented by:



NEVADA WATER ENVIRONMENT ASSOCIATION



Reuse Nevada/WaterReuse .....Joe Maez / Bill Shepherd  
Safety Committee .....Ellery Tionson  
Stockholm Junior Water Prize .....Maria Stosich / Candice Siwarga  
Tri-State Conference.....Keni Whalen/Bruce Dacko/Eric Leveque/Dave Ruegge  
Water for People.....Leisa Tucker  
Website.....Suey Huey

NWEA 2008 Conference Planning Committee and Volunteers

Linda Peterson / Jackie Diggle, SPB Utility Services  
Starlin Jones / Gary Hutchinson, Truckee Meadows Water Reclamation Facility  
Paul Orphan / Rick Warner, Washoe County Department of Water Resources  
Paul Krauth, Utah DEQ  
Leslie Long, North Las Vegas  
Stephen Long, City of Reno  
David James, NWEA President-Elect  
John Solvie, City of Las Vegas  
Joe Crim, City of Lovelock  
Jennifer McMartin  
Hannah Wilner, CH2M Hill  
Stephanie Stallsmith, HDR, Inc.  
Bruce Dacko, City of Las Vegas  
Kirk Peterson / Cindy Wolf / Ciara Phillips, SPB Utility Services  
Dave Roundtree, CH2M Hill  
Dave Bruketta, Truckee Meadows WRF  
Jake Jacobsen

**We offer a heartfelt “thanks” to all of our volunteers and their employers for their sacrifice of time, etc. We are a volunteer organization and without them we would not function!**

**\*NWEA Conference Sponsors\***

**Platinum and Gold Level Sponsors**



**City of Henderson**

**GE Water & Process Technologies**  
**GE Zenon Environmental**

**Silver Level Sponsors**

**Black and Veatch**



**Carollo Engineers**



**Jacobs Carter Burgess**

**Coombs-Hopkins Company**



**HDR Engineering**

**Bronze Level Sponsors**

**Burlingame Engineering, Inc.**

**Shaw Engineering**

**OTHER CONFERENCE SPONSORS**

**G3 Engineering, Inc.**

**Goble-Sampson Associates**

**Jacobs Carter Burgess**

**Misco, Inc.**

**\*NWEA Conference Exhibitors\***

**(In Booth Order)**

**Muniquip  
BOOTH 1**

**Burlingame Engineering, Inc.  
BOOTH 2**

**Pro-Tech Environmental Bio-Systems  
BOOTH 3**



**Hach Company  
BOOTH 4**



**Clean Water Coalition  
BOOTH 5**

**Oratech Controls  
BOOTH 6**



**Coombs-Hopkins Company  
BOOTH 7**



**Tesco Controls, Inc.  
BOOTH 8**



**Goble-Sampson Associates  
BOOTH 9**



**Westech Engineering, Inc.  
BOOTH 10**

**JBI  
BOOTH 11**

**Cortech Engineering  
BOOTH 12**

**Re-Line America  
BOOTH 13**

**G-3 Engineering  
BOOTH 14**

**WET Labs  
BOOTH 15**



**Endress & Hauser: MRC Technologies & IPT Corporation  
BOOTH 16**

**Process Solutions, Inc. (PSI)  
BOOTH 17**



**Inuktun Services, Ltd  
BOOTH 18**



**Morr-is-Tested  
BOOTH 19**

**Rockwell Engineering  
BOOTH 20**

**Workplace Safety Specialists  
BOOTH 21**



**Yellow Springs Instruments (YSI)  
BOOTH 22**



**Misco, Inc.  
BOOTH 23**



**Ryan Process, Inc.  
BOOTH 24**



## A LETTER FROM NWEA PRESIDENT, LESLIE LONG

To Conference Attendees:

It is my honor and pleasure to welcome you to this year's Annual NWEA Conference. On behalf of this year's Executive Board, I ensure this year's conference will maintain the tradition and integrity NWEA Conferences have been recognized for these past years.

Our theme this year, **Water is Life and Infrastructure Makes it Happen**, embodies our goal to assist water and wastewater service providers in communicating the value of our nation's water and wastewater infrastructure. This initiative is an on-going public education program of the Water Environment Federation with support from the National Association of Clean Water Agencies. The conference committee deemed it timely to assign this theme to the annual conference due to the nation's crumbling infrastructure and resources needed to address this problem, not only in Nevada, but nationwide.

I would like to thank the conference committee who has put together an exceptional program. Esteemed panelists will discuss Infrastructure related issues; Sanitary Sewer Overflows and Mandatory CEUs. Other timely topics will include trends in wastewater treatment technologies, stormwater issues, wastewater operator sessions and many more.

I would also like to thank our sponsors. Your participation in this conference not only boasts your commitment to NWEA, but it also shows your dedication to increasing and improving the information to the water and wastewater service providers in attendance. To our returning sponsors, welcome back and thank you for your prolonged support. To our new sponsors, I hope this is the beginning of a mutually beneficial long standing partnership.

Finally, I want to thank all of our speakers, panelists, and guests. You all are the spirit of this conference. The reciprocated exchange of information among everyone involved is what truly defines the vitality of this event.

Once again, welcome and many thanks to all. I look forward to meeting each of you during the conference.

Warmest Regards,

Leslie Long, P.E.  
NWEA President

**Water Environment Federation**  
**2008 AWARDS**

**\*Arthur Sidney Bedell Award\***

The Bedell Award was established to acknowledge extraordinary personal service to a Water Environment Federation Member Association. The award is named for **Arthur Sidney Bedell**, WEF's second president for his long devotion and service to the New York Sewage and Industrial Wastes Association, now the New York Water Environment Association. He was Chief of the Bureau of Sewage and Waste Disposal of the New York State Department of Health.

The Nevada Water Environment Association is pleased to announce the **2008 Bedell Award** recipient is **Paul Orphan**.

Paul is the engineering Manager for the Washoe County Department of Water Resources, the county's water, wastewater and reclaimed water utility. He received both a bachelor of science and a master's of science in Civil Engineering from the University of Nevada, Reno. He is a registered professional civil engineer in Nevada and California and a registered water rights surveyor in Nevada. Paul is a 28 year member of the Water Environment Federation and is a member of the WEF water reuse committee. He is also a member of AWWA, where he is the vice-chairman of the AWWA water reuse committee, ASCE, NSPE, APWA and NWRA. He served as secretary, president-elect, and president and is the immediate past president of NWEA.

Recent past **Arthur Sidney Bedell Award** recipients include: Eric Leveque 2006; Starlin Jones 2005; Joe Maez 2004; Rick Warner 2002; Dennis Hugh 2001; and Tom Swan 1999.

**\*WEF Hatfield Award\***

The Hatfield Award is presented to operators of wastewater treatment plants for outstanding performance and professionalism. The award was established in honor of Dr. William D. Hatfield, Superintendent of the Decatur, Illinois Sanitary District, who was President of the Central States Sewage Works Association in 1944-45 and served as President of the Federation in 1958-59.

The Nevada Water Environment Association is pleased to announce the **2008 Hatfield Award** recipient is **Gary Hutchinson**.

Gary holds a Grade V Wastewater Operator license in Nevada, and a Grade IV in both California and Hawaii. He has over 12 years of operations experience and over 16 years in the wastewater industry. As an operator he has worked as an Operator I, Operator II and Senior Operator. In these positions he has been involved in numerous projects including serving as project leader for improved biosolids disposal, negotiating a renewable energy contract, and administration of contracts and septic disposal. His

supervisor reports that the savings he has helped realize would more than pay his salary until the day he retires. NWEA has utilized his services as Treasurer for the last three years. During this period he has maintained the association financial records along with converting the association's tax status to a 503 c3. Gary holds a bachelors degree from Oregon State in finance and is completing a degree in Environmental Engineering at UNR.

Recent past Hatfield Award recipients include: Kirk Peterson 2006; Stephen Long 2005; Bill Shepherd 2004; Kelvin Ikehara 2002; Starlin Jones 2001; Tim Smith 1999; Walt Johnson 1998; and Dave Mendenhall 1996.

**\*WEF Lab Analyst Award\***

Lillie Fleming

The Water Environment Federation recognizes individuals for outstanding performance, professionalism and contributions to the water quality analysis profession.

The Nevada Water Environment Association is pleased to announce the **2008 Laboratory Analyst Award** recipient is **Lillie Fleming**.

Lillie Fleming has a BS in Microbiology from Mississippi State University. She has been employed by the City of Henderson (COH) Water Quality Laboratory since May of 1995 and has been a member of WEF and NWEA since 1999. She holds a Grade III Wastewater Quality Analyst certification and has improved her knowledge by taking courses in wastewater treatment, activated sludge and statistics at the community college. She has participated in a WEFTEC workshop on microbiology and taken the RTW course on process control microscopy.

Lillie has been extremely active in the Operations Challenge program since it's beginning in Nevada, starting as a member of the Henderson team in 1999. She has served as a laboratory judge at the WEFTEC Operations Challenge competition since 2000, including this year's conference in San Diego. Lillie is also recognized for her outstanding work efforts and advancing the water quality profession.

Recent past **Laboratory Analyst Award** recipients include: Dana LaRance 2005; Bill Lutsch 2004; Dan Fischer 2002; Keni Whalen 2001; Debra Bolding 1999; Max-Noel Shen 1998; Virginia Swipas 1996; and Tom Swan 1995.

**Nevada Water Environment Association**  
**2008 AWARDS**

**\*NWEA Outstanding Service Award\***

The Nevada Water Environment Association Outstanding Service Award is presented for significant contributions to advancing the water quality profession.

This year we are pleased to announce two recipients for the **2008 Outstanding Service Award -- John Solvie and Kyle Menath.**

**John Solvie** has been an Environmental Compliance Inspector for the City of Las Vegas for 18 years. Responsibilities include regulating industrial wastewater dischargers under the national pretreatment program, writing permits and regulations, and enforcing industrial stormwater discharge requirements. John was recently elected as Vice-President of the Association of Boards of Certification (ABC) and serves on numerous ABC committees and task forces. John also serves as a board member on NWEA's Certification Board, which administers the State of Nevada's mandatory certification program for Wastewater Treatment Plant Operators and NWEA's four voluntary certification programs. John is a member of NWEA, the Water Environment Federation and the American Water Works Association.

**Kyle Menath** is presently the Wastewater Operations Chief at the Carson City Wastewater Reclamation. Starting his career in 1978 as a Plant Mechanic, Kyle has dedicated his 30 year career to all facets of the wastewater industry, including treatment, 100% effluent reuse program, and collection system maintenance and planning. He has been strongly involved in countless plant and sewer line upgrades and is an active member of NWEA, helping organize the annual golf tournament. Management and employees alike have always been able to count on Kyle in any situation, any time. He is serving as a member on the Association of Boards of Certification (ABC) Plant Maintenance Technologist V&E Committee, attempting to bring this valuable certification program to the NWEA.

His peer group reports that throughout his career he has always demonstrated professionalism and integrity in the performance of his duties. Kyle has always led by example and has always demonstrated this asset to his staff.

**\*NWEA Young Professional Award\***

Adrian Johnson

The Nevada Water Environment Association Outstanding Young Professional Award recognizes the contributions of young water environment professionals for significant contributions to advancing the water quality profession. The 2008 recipient is Adrian Johnson.

Adrian Johnson started work at the South Truckee Meadows Water Reclamation Facility as a part time laborer in 2001. When a construction expansion project had begun at the plant, Adrian quickly became a valuable part of the project. This process led to his interest in the wastewater field, so he started studying for the Grade I wastewater operator certification. In 2003 Adrian passed the Grade I test with one of the highest scores for that year. He continued to work hard and study and passed the Grade II certification test in 2004, again scoring high.

In 2005 Adrian became the Lead Operator at STMWRF in charge of all day to day operations. By 2007 he had passed the Grade III wastewater operator certification test. He recently took the Grade I water treatment and Grade I water distribution certification tests. Adrian will be taking the Grade IV wastewater operator certification test soon.

Adrian has come a long way in the last seven years and is an excellent example of an outstanding Young Professional. He is considered by his peers to be a young man of great character and integrity. He is hard-working, intelligent and diligent in his profession. He is greatly valued by his employers and those who work with him.

**\*NWEA Operator of the Year\***

Lloyd Reardon

The Nevada Water Environment Association Operator of the Year Award is presented for significant contributions to advancing the wastewater treatment profession. The 2008 recipient is Lloyd Reardon.

Lloyd has treated wastewater in Nevada for almost 29 years. He started with the City of Henderson as an Operation & Maintenance Serviceman in 1979. Lloyd was a great Operator, and moved through the ranks to a Supervisory position in 1994. Since that time, he has been supervising wastewater treatment plant operators as the City of Henderson moved from Plant No. 1, to a lagoon plant, then to an advanced treatment tertiary plant. Lloyd adapted himself to the changes, and helped many operators adjust to the new levels of treatment and complexity. He is looked to by management, peers and subordinates as someone who can get things done, a source of stability, a sounding block for new ideas, as someone who will always give you his true opinion, and a great source of information (he hardly ever loses things in his "steel trap" of a mind).

The past year the City of Henderson's Water Reclamation Facility has seen many changes and challenges as a \$73 million expansion was put into service. Lloyd played a crucial role in the successful start-up and operation of the new facilities. It was not always smooth (when is it ever), but Lloyd was always there to motivate Operators, provide feedback to engineers and manufacturers, and make crucial decisions to assure that all the wastewater received was treated to permitted levels. The City of Henderson would like to thank him for his dedication and hard work.

**2008 ANNUAL CONFERENCE**  
**May 13-16, 2008**  
**John Ascuaga's Nugget Casino and Resort**

**Conference Schedule**

**Tuesday, May 13, 2008**

7:00 a.m. – 5:00 p.m.	Registration – <i>Pavilion Foyer</i>
<b>8:00 a.m. – 12:00 p.m.</b>	<b>WORKSHOP:</b> Pond Operations & Maintenance Part One – <i>Pavilion B</i>
12:00 p.m. - 1:00 p.m.	Lunch Break
<b>1:00 p.m. – 4:30 p.m.</b>	<b>WORKSHOP:</b> Pond Operations & Maintenance Part Two – <i>Pavilion B</i>

**Wednesday, May 14, 2008**

7:00 a.m. – 5:00 p.m.	Registration – <i>Pavilion Foyer</i>
8:00 a.m. – 11:30 a.m.	9-Hole Golf Tournament - <i>Rosewood Lakes Golf Course-Reno</i>
<b>8:00 a.m. – 12:00 p.m.</b>	<b>WORKSHOP:</b> Pond Operations & Maintenance Part Three – <i>Pavilion B</i>
<b>1:00 p.m. – 5:00 p.m.</b>	<b>WORKSHOP:</b> Collection Systems – <i>Pavilion B</i>
<b>12:00 p.m. - 2:00 p.m.</b>	<b>MEETING:</b> Executive Board Lunch – <i>Pavilion C</i>
<b>2:00 p.m. – 5:00 p.m.</b>	<b>MEETING:</b> Certification Board - <i>Pavilion C</i>
1:00 p.m. – 7:00 p.m.	EXHIBITOR HALL OPEN – <i>Pavilion E</i>
5:00 p.m. – 6:30 p.m.	Welcome Reception – <i>Pavilion E (Prize Drawing)</i>

**Thursday, May 15, 2008**

7:00 a.m. – 5:00 p.m.	Registration – <i>Pavilion Foyer</i>
	7:15 a.m. – 8:15 a.m. <b>Welcome Breakfast:</b> <i>Poolside Terrace</i>
	<b>Introduction</b> – Rick Warner, P.E.
	<b>Keynote Address - Tracy Stigers, Board of Trustees</b> <b><i>Water Environment Federation</i></b>
8:00 a.m. – 6:45 p.m.	EXHIBITS – <i>Pavilion E</i>

**Thursday, May 15, 2008, (Cont.)**

- 8:30 a.m. – 10:00 a.m.**      **Session One** – *Pavilion B*  
**Operator Certification Training**  
Math/Operations Grade 3 & 4  
**Introduction: Starlin Jones, TMWRF**  
**Instructor: Sam Elliot, OCT**
- 8:30 a.m. – 10:00 a.m.**      **Session Two** - *Pavilion C*  
**Water is Life – Infrastructure Panel Discussion**  
**Moderator: Dave Roundtree, P.E., CH2M Hill**
- 8:30 a.m. – 10:00 a.m.**      **Session Three** – *Pavilion A*  
**Moderator: Leslie Long, Utilities Department Manager,**  
*Technical Services, City of North Las Vegas*
- 8:30 a.m. – 9:00 a.m.      **Stormwater Quality-Regulations & the Las Vegas Valley**  
**Municipal Stormwater Program** – *Angela MacKinnon, P.E.,*  
*MWH Americas, Las Vegas, Nevada*
- 9:00 a.m. – 9:30 a.m.      **Implementing Storm Water Quality Management in the**  
**Truckee Meadows Watershed** – *E. Terri Svetich, P.E., City of*  
*Reno*
- 9:30 a.m. – 10:00 a.m.      **City of Reno Environmental Control Pre-Treatment**  
**Program in the 21<sup>st</sup> Century** – *Ryan Bird, Environmental*  
*Control Supervisor, City of Reno*
- 10:00 a.m. – 10:30 a.m.**      **BREAK** (*Prize Drawing-Pavilion E*)
- 10:30 a.m. – 12:00 p.m.**      **Session Four** – *Pavilion B*  
**Operator Certification Training (Cont.)**  
Math/Operations Grade 3 & 4
- 10:30 a.m. – 12:00 p.m.**      **Session Five** – *Pavilion C*  
**Water is Life – Infrastructure Panel Discussion (Cont.)**
- 10:30 a.m. – 12:00 p.m.**      **Session Six** – *Pavilion A*  
**Moderator: Paul Orphan, P.E., Washoe County Water**  
*Resources*
- 10:30 a.m. – 11:00 a.m.      **Analysis of Centrate Composition & Applicability as a Nutrient**  
*Nalleli Herrera, Graduate Research Assistant, UNR Dept. of*  
*Civil and Environmental Engineering*
- 11:00 a.m. – 11:30 a.m.      **The Osmotic Membrane Bioreactor: A Dual Barrier**  
**Approach to Potable Water Reuse** – *Andrea Achilli,*  
*Graduate Research Assistant, UNR Dept. of Civil and*  
*Environmental Engr.*

- 11:30 a.m. – 12:00 p.m.      **Treatment of Cooling Tower Brines through Novel Membrane Processes** – *Mirinda Hutton, Graduate Research Assistant, UNR Dept. of Civil and Environmental Engr*
- 12:00 p.m. – 1:00 p.m.  
12:00 p.m. – 1:00 p.m.      **Young Professionals Luncheon**—*Southern Pacific BCD-3<sup>rd</sup> Floor Exhibitor Lunch and Prize Drawing – Pavilion E*
- 1:00 p.m. – 2:30 p.m.      **Session Seven** – *Pavilion B*  
**Operator Certification Training, (Cont.)**  
Math/Operations Grade 3 & 4
- 1:00 p.m. – 2:30 p.m.      **Session Eight** – *Pavilion C*  
**Water is Life – Infrastructure Panel Discussion, (Cont.)**
- 1:00 p.m. – 2:30 p.m.      **Session Nine** – *Pavilion A*  
**Moderator: Bruce Dacko, City of Las Vegas**
- 1:00 p.m. – 1:45 p.m.      **Fine Screening Equipment – First Line of Defense**  
*T.R. Gregg, West Region Manager, Huber Technology*
- 1:45 p.m. – 2:15 p.m.      **Enviroquip MBR System Helps OHSU Go Platinum**  
*Kimberly Mathis, Enviroquip Sr. Regional Applications Mgr.*
- 2:15 p.m. – 2:30 p.m.      **SCOP Pipeline & the Endangered Species Act**  
*Douglas Drury, Deputy General Manager  
Clark County Water Reclamation District*
- 2:30 p.m. – 2:45 p.m.      **Drought 2008** – *Douglas Drury, Deputy General Manager  
Clark County Water Reclamation District*
- 2:30 p.m. – 3:00 p.m.      Exhibitor Break and Prize Drawing – *Pavilion B*
- 3:00 p.m. – 4:30 p.m.      **Session Ten** – *Pavilion B*  
**Operator Certification Training (Cont.)**  
Math/Operations Grade 3 & 4
- 3:00 p.m. – 4:30 p.m.      **Session Eleven** – *Pavilion C*  
**Sanitary Sewer Overflows Panel**  
**Moderator: Stephanie Stallsmith, HDR, Inc.**
- 3:00 p.m. – 4:30 p.m.      **Session Twelve** – *Pavilion A*  
**Moderator: Kirk Peterson, SPB Utility Services, Inc.**
- 3:00 p.m. – 3:30 p.m.      **Demonstrating the Benefits of 3D Building Information Modeling** - *Julian Hoyle, P.E., Vice President, CH2M Hill*
- 3:30 p.m. – 4:00 p.m.      **Solids Handling Facilities for Membrane Sludge**  
**City of North Las Vegas Water Reclamation Facility**  
*Joseph R. Popeck, P.E., Greeley and Hansen, LLC*

4:00 p.m. – 4:30 p.m. **Advanced Biological Odor Control for Wastewater Treatment Plants** – *Daryl Letto, P.E., Process Engineering, BIOREM Technologies*

5:30 p.m. – 7:00 p.m. **Cocktail Reception and Prize Drawing** – *Pavilion E*  
7:00 p.m. – 9:00 p.m. **Awards Banquet and Prize Drawing** – *Poolside Terrace*

**Friday, May 16, 2008**

7:00 a.m. – 8:00 a.m. Continental Breakfast and Prize Drawing – *Pavilion Foyer*  
7:00 a.m. – 9:00 a.m. Registration – *Pavilion Foyer*

8:10 a.m. – 9:40 a.m. **Session Thirteen** – *Pavilion B*  
**Moderator: Stephen Long, City of Reno**

8:10 a.m. – 8:40 a.m. **Running a Small WWTF for Reclamation/Reuse—Lessons from Five Years of Experience @ Rolling “A” WWTF**  
*William K. Faisst, Vice President, Brown and Caldwell*  
*Skeet Sellers, Wastewater Superintendent, Lyon County Ut.*

8:40 a.m. – 9:10 a.m. **More Capacity on the Fly: The 3<sup>rd</sup> Expansion of Rolling “A”**  
*William K. Faisst, Vice President, Brown and Caldwell*  
*Donette Barreto, Utilities Engineer, Lyon County Utilities*

9:10 a.m. – 9:40 a.m. **BNR Startup & Operation at the City of Henderson WRF**  
*Howard Analla, Treatment Process Manager, City of Henderson*

8:10 a.m. – 9:40 a.m. **Session Fourteen** – *Pavilion C*  
**Moderator: Hannah Wilner, CH2M Hill**

8:10 a.m. – 8:55 a.m. **Operation Experience with the Largest Avg. Day Flow MBR in North America**  
*Minggang Liu, Senior Wastewater Process Engineer, GE-ZENON*

8:55 a.m. – 9:40 a.m. **What Every Board Member Should Know About Health, Safety and Risk Management**  
*John Bannen, Sr. Client Service Representative*

8:10 a.m. – 9:40 a.m. **Session Fifteen** – *Pavilion A*  
**Moderator: Bruce Dacko, City of Las Vegas**

8:10 a.m. – 8:40 a.m. **Total Water Management: Going Green in the Face of Population Growth & Water Scarcity**  
*Trevor Hill, President & CEO, Global Water Resources*

8:40 a.m. – 9:10 a.m. **Water Pipeline Condition Assessment**  
*Holly McNaught, Water/Wastewater EIT, HDR Engineering*  
9:10 a.m. – 9:40 a.m. **Innovative Treatment Alternatives for Small Communities in Rural Nevada** - *Kirk Peterson, President, SPB Utility Services*

- 9:40 a.m. – 10:00 a.m.** Exhibitor Break and Prize Drawing – *Pavilion E*
- 10:00 a.m. – 12:00 a.m.** **Session Sixteen** – *Pavilion B*  
**Moderator:** David E. James, PhD PE, NWEA President-Elect
- 10:00 a.m. – 10:20 a.m. **Operator Certification Board Update, Questions and Answers**  
*Jennifer McMartin, Assistant Program Administrator*
- 10:20 a.m. – 12:00 p.m. **Mandatory C.E.U.'s for Certification – Panel Discussion**  
*William Shepherd, Chairman, NWEA Certification Board*  
*John Solvie, VP Association of Boards of Certification*  
*Rick Mills, Mgr of Water & Wastewater, City of Henderson*  
*Stephen Long, Facilities Supervisor, City of Reno*  
*Traci Stigers, Board of Trustees, Water Env. Federation*  
*Kirk Peterson, SPB Utility Services, Inc.*
- 10:15 a.m. – 11:45 a.m.** **Session Seventeen** – *Pavilion C*  
**Moderator:** Dave Bruketta, Truckee Meadows WRF
- 10:15 a.m. – 10:45 a.m. **Comparison Study of Methods for Determining MPN for Coliform**  
*Lillie Fleming, Chemist, City of Henderson*
- 10:45 a.m. – 11:15 a.m. **A Novel Approach to Enhanced Water Recovery from Reverse Osmosis Brines - Riz Martinetti, Graduate Research Assistant, UNR Dept. of Civil and Environmental Engineering**
- 11:15 a.m. – 11:45 a.m. **City of Tracy Wetlands and Habitat Enhancement Project**  
*Vijay Kumar, P.E., Vice President, CH2M Hill*
- 10:15 a.m. – 11:45 a.m.** **Session Eighteen** – *Pavilion A*  
**Moderator:** Bill Shepherd, Clark County Water Rec. District
- 10:15 a.m. – 10:45 a.m. **The Simultaneous Removal of Arsenic and Manganese for Water in Northern Nevada - H.C. Liang, Senior Engineer, Rothberg, Tamburini and Winsor, Inc.**
- 10:45 a.m. – 11:15 a.m. **Cashing Out on Cows: Anaerobic Digestion: Recovering Energy through Technology – Rudy Kilian, Engineer, Carollo Engineers**
- 11:15 a.m. – 11:45 a.m. **Technical Resources for Pre-treatment Programs and Dischargers – John Handzo, Pollution Prevention Projects Manager, Business Environmental Program, UNR Small Business Development**
- 10:30 a.m. – 1:00 p.m.** **Exhibitor Breakdown**
- 12:00 p.m. – 1:00 p.m.** **NWEA Business Lunch and Prize Drawing – Poolside Terrace**
- 1:00 p.m. – 4:00 p.m.** **Certification Exam – Pavilion B**
- 1:30 p.m. – 3:30 p.m.** **Tour of Truckee Meadows Water Reclamation Facility**

**COLLECTIONS WORKSHOP**  
**Wednesday, May 14, 2008**  
**1:00 – 5:00 p.m.**

**Instructor: Jake Jacobsen**

**History of Collections Systems**

This class discusses the evolution of pipes from 3200BC to modern day. We will discuss the types of pipe that were and are used and why we consistently change the material of pipes. We will talk about sewer maintenance the early years, disposal of sanitary sewage, and the design choices and philosophies combined systems versus dedicated systems.

**PACP/MACP Fundamentals, Get it Right the First Time**

How standardizing defect coding optimizes inspection results when making decisions of rehabilitation, replacement, and maintenance for your collection system. This class will provide basic intent of standardizing these codes on a national level and provide tips to for your operators and contractors provide uniform data.

**Pipe Inspection Technologies, Yesterday, Today, and Tomorrow**

This class will discuss how CCTV technology originally integrated to sewers. What the original system looked like, and how this technology has evolved from a simple video to a vital instrument for asset management. From cameras and skateboards to sonar and laser, from operator interpretation to computer simulation we will discuss the evolution of this technology and where we will see it tomorrow.

**Elements That Make the CCTV Pipeline Inspector of Today**

CCTV operators have evolved as the camera systems have. The TV operator is a mix of blue collar white collar. The operator must understand mechanics, flow hydraulics, and have a seasoned understanding of the entire collection system operation. The operator of today must ALSO have GIS, GPS understanding, ability to communicate to end viewers, have exceptional writing and typing skills, and vast computer knowledge. We will discuss these critical elements that make up the TV operator of today.

2008 NWEA Annual Conference

**“Water is Life and Infrastructure Makes it Happen”**

**Infrastructure Workshop**

**Thursday, May 15, 2008**

**8:30 AM – 2:30 PM**

**SESSION ORGANIZER**

Rick Warner, P.E.  
Washoe County Water Resources

**SESSION MODERATOR**

Dave Roundtree, P.E.  
Vice President, CH2M Hill

**7:30 am to 8:30 a.m. Welcome Breakfast – Poolside**

**8:30 am to 10:00 a.m. Infrastructure 1 - Pavilion C**

- *Opening Remarks – David Roundtree*
- *Water is Life and Infrastructure Makes it Happen- Tracy Stigers*
- *City of North Las Vegas Asset Mgt Program – Kirk Medina*
- *Asset Management Program Development – Ben Hutchins*
- *Asset Management at the Truckee Meadows Water Reclamation Facility – Gary Hutchinson*

**10:30 am to 12 p.m. Infrastructure 2 – Pavilion C**

- *Las Vegas Valley Water District Major Construction Program – Laura Jacobsen*
- *Utility Rate Design – John Bonow*
- *Roundtable Discussion – All Panelists*

**12 p.m. to 1 p.m. Lunch – Exhibitor Area**  
Hosted by the NWEA Young Professionals Committee

**1 p.m. to 2:30 p.m. Infrastructure 3 – Pavilion C**

- *City of Henderson Asset Management Program – Dennis Porter*
- *Asset Management – A Financial Perspective – Ed Cobrom*
- *Roundtable Discussion – All Panelists*

**NWEA Annual Conference  
Infrastructure Workshop  
Thursday, May 15, 2008  
8:30 AM – 2:30 PM  
PANELIST INFORMATION**

<b>PANELIST</b>	<b>TOPIC</b>
Tracy Stigers, Board of Trustees Water Environment Federation	Water is Life and Infrastructure Makes it Happen
Kirk Medina, Utility Operations Manager City of North Las Vegas	City of North Las Vegas Asset Management Program
Ben Hutchins, CPA Finance and Customer Services Manager Washoe County Dept of Water Resources	Asset Management Program Development
Gary Hutchinson, Senior Financial Analyst Truckee Meadows Water Reclamation Facility	Asset Management at the Truckee Meadows Water Reclamation Facility
Laura Jacobsen, P.E., Manager Planning Division, Las Vegas Valley Water District	Las Vegas Valley Water District Major Construction Program
John Bonow Public Financial Management, Inc.	Utility Rate Design
Dennis Porter, Utility Services Director City of Henderson	City of Henderson Asset Management Program
Ed Cobrom/Robb Grantham Financial Consulting Service Group	Asset Management A Financial Perspective

**NWEA Annual Conference  
Mandatory CEU Panel Discussion  
Friday, May 16, 2008  
10:30 AM – 12:00 PM**

**SESSION MODERATOR: David E. James, PhD PE, NWEA President-Elect**

10:30 – 10:35	Welcome and panelist introductions
10:35 – 10:50	Continuing education overview (John Solvie) NDEP perspectives (Leo Drozdoff) NWEA Certification Board perspectives (William Shepherd)
10:50 – 11:15	Benefits (all panelists) <ul style="list-style-type: none"><li>• Ensuring operator competency</li><li>• New and changing treatment technologies</li><li>• Operator professionalism</li><li>• Reciprocity with other programs</li></ul>
11:15 – 11:40	Hurdles (all panelists) <ul style="list-style-type: none"><li>• Regulation change (Nevada Administrative Code)</li><li>• Rural operators</li><li>• Training opportunities</li><li>• Course review and approval</li><li>• Enforcement</li></ul>
11:40 – 12:00	Open microphone

**Mandatory CEU Panel Discussion**  
**Friday, May 16, 2008**  
**10:30 AM – 12:00 PM**  
**PANELIST INFORMATION**

PANELIST	REPRESENTATION
Leo Drozdoff, P.E., Administrator Nevada Division of Environmental Protection	NDEP
William Shepherd, Chairman NWEA Certification Board	Certification Board
John Solvie, Vice-President Association of Boards of Certification	ABC
Kirk Peterson, President SPB Utility Services, Inc.	Rural Operators
Rick Mills, Manager of Water & Wastewater City of Henderson	POTWs
Stephen Long, Facilities Supervisor City of Reno	POTWs
Traci Stigers, Board of Trustees Water Environment Federation	WEF

## ABSTRACTS

### SESSION ONE

OPERATOR CERTIFICATION TRAINING (OCT) – PART ONE  
**"Mathematics for Grades 3-4 Wastewater Operators"**  
Instructor: Sam Elliot, CET

Each operator in attendance will be provided one (1) or two (2) workbooks to keep. One for the morning session and one for the afternoon session PROVIDED THEY STAY FOR EACH ENTIRE SESSION. (We will not provide books for drop in's and drop outs.) OCT Academy will provide 4 hour CEU certificates for those who come in, register, and stay to the complete morning, and / or, afternoon session.

The session will not be set up for Grade 1 - 2 operators; the material is advanced and designed for levels 3 and 4. The class material will consist of the following.

**MATH:** Review of general problem solving techniques, completing conversions, Specific Calculation review: (MCRT, Air Requirements, Chemical Addition, Digester Gas Problem, Detention time, Horsepower

**OPERATIONS:**

- "Standard Parameters"
- Glossary of terms / Vocabulary Review
- Overview of relevant math formulas
- Standard Wastewater Treatment Parameters
- Lab tests
- Chemicals

### SESSION TWO

WATER IS LIFE – INFRASTRUCTURE PANEL DISCUSSION – PART ONE

## SESSION THREE

### STORMWATER QUALITY: REGULATIONS AND THE LAS VEGAS VALLEY NPDES MUNICIPAL STORMWATER PROGRAM

Angela MacKinnon, P.E. - MWH Americas, Inc.

The U.S. Environmental Protection Agency (EPA) considers stormwater runoff to be a significant contributor to pollution of water bodies; thus, the stormwater programs have been created at the federal, state, and local levels, to regulate and manage stormwater discharges. Management of stormwater discharges is conducted through programs, such as National Pollutant Discharge Elimination System (NPDES) permitting, regulated by EPA or other regulatory authority, such as the Nevada Division of Environmental Protection. To comply with these federal and state regulations and to minimize stormwater pollution, municipalities and local agencies have implemented local stormwater programs.

This paper will include a brief overview of federal and State of Nevada stormwater regulations. In addition, the program elements of the Las Vegas Valley NPDES Municipal Stormwater Discharge Permit will be identified and summarized. Results from the stormwater monitoring program will be included to show stormwater quality analyses for the Las Vegas Valley. Finally, the current status of the Las Vegas Valley NPDES Municipal Stormwater Discharge Permit will be presented, including the identification of the processes that have been implemented to further develop the Las Vegas Valley stormwater program, as a result of the EPA audit in 2005.

### IMPLEMENTING STORM WATER QUALITY MANAGEMENT IN THE TRUCKEE MEADOWS WATERSHED

E. Terri Svetich, P.E. City of Reno  
Lynell Garfield, Hydrologist, City of Reno

This presentation will focus on a new tool for the construction industry: the Nevada Construction Site Field Guide and other community resources to comply with Storm Water Quality Best Management Practices within the Truckee Meadows Watershed.

The USEPA conducted an audit of our Phase 1 community in January 2002. They expected to see a fully implemented Storm Water Quality Management Program. When their expectations were not realized, changes were mandated at the state and local levels.

The Cities of Reno and Sparks, and Washoe County are co-permittees on a Phase 1 NPDES permit. By inter-local agreement, the Storm Water Permit Coordinating Committee (SWPCC) was formed in 1990 to meet the permit requirements. The first permit lapsed in 1995 and with that, so did much of the implementation activity. In 2000, a new permit was finally issued and the community funded the development of a comprehensive local Storm Water Quality Management Program. A detailed plan and schedule of implementation for all the elements was established. Implementation of the program has been an evolving and iterative process.

## **CITY OF RENO: ENVIRONMENTAL CONTROL PRETREATMENT PROGRAM IN THE 21ST CENTURY**

**Author: Ryan Bird (Presenter), Environmental Control Supervisor  
Co-author: E. Terri Svetich, P.E., Senior Civil Engineer**

With a population of over 211,000, Reno is the largest city in Northern Nevada. The City's Public Works Department has an Environmental Control Section (EC) that permits and inspects approximately 1,500 businesses. In addition, EC provides contract pretreatment services for the unincorporated areas of Washoe County. The City's EC section consists of four officers, one administrative assistant, and one supervisor. This relatively small staff is charged with accommodating an array of functions including pretreatment, industrial storm water, 24-hour, 7 day-a-week spill support services, irrigation allowances, facility plan review and construction inspection, and sewer use function as well as promoting environmental stewardship in the Truckee Meadows.

In 2005, the City's Financial Department upgraded the financial software systems for the entire City. This software change would no longer offer a mechanism for EC to send permit information to the Billing Department. Also, EC's antiquated database, in use since the 1980's, would no longer be serviced by Communication and Technology (C&T) staff. If EC was to accomplish and maintain environmental compliance, EC was going to have to rethink its current business needs or sink! EC chose to rise to the challenge.

In 2006, EC, engineering staff, and C&T staff reviewed all internal and external options for software programs associated with pretreatment management and found only one application which would satisfy both EC and C&T staff criteria. The new software would accommodate consolidation of other computer software functions used, have the ability to interface with the City's new financial system, and be compatible with wireless functions.

In 2007, a software package was decided upon by EC and purchased. Approximately three months after the purchase date, data migration, configuration, training, and operational deployment was achieved.

Today, EC facilitates data storage, permit writing, on-call services, facility inspection, plan review and construction field inspections via wireless laptops. This wireless function enables the EC staff to provide more effective and efficient services than ever before.

### **SESSION FOUR**

#### **OPERATOR CERTIFICATION TRAINING (OCT) – PART TWO**

### **SESSION FIVE**

#### **WATER IS LIFE – INFRASTRUCTURE PANEL DISCUSSION – PART TWO**

## SESSION SIX

### ANALYSIS OF CENTRATE COMPOSITION AND EVALUATION OF ITS APPLICABILITY AS A NUTRIENT SUPPLEMENT TO IRRIGATION WATER

Eric A. Marchand - UNR Dept. of Civil & Env. Engineering,  
Nalleli Herrera - UNR Dept. of Civil & Env. Engineering,  
Shai Koussevitzky, UNR Dept. of Biochemistry  
Greg Dennis, Stan Shumaker, and Terri Svetich, Public Works Dept., City of Reno

Experimental analyses were carried out to evaluate the chemical composition of centrate originating from Truckee Meadows Water Reclamation Facility (TMWRF, Sparks, NV) and its applicability as a nutrient supplement to reuse water used for irrigation. Centrate is the liquid fraction following centrifugation of anaerobic digester sludge. Regular chemical analyses have been performed on both centrate and reuse water (roughly on a monthly basis) for over six months. Tests have revealed that centrate, with an average pH of 8.0, has a higher total dissolved solids (TDS) concentration than reuse water (about 3.5 times greater). Ammonia and orthophosphate concentrations in centrate were also higher than reuse water at an average of 1,100 mg/L and 210 mg/L, respectively. Elemental analyses of select cations (e.g., sodium, iron, magnesium, and potassium) and potential metals of concern (e.g., aluminum, cadmium, cobalt, and copper) revealed that concentrations in centrate did not exceed published recommended maximum irrigation levels for any constituents. In fact, centrate had a higher concentration of potassium – an important component of fertilizer – compared to TMWRF reuse water. In addition to the chemical analyses, centrate was also subjected to bench-scale chlorination tests to identify the required disinfectant dose required to achieve complete inactivation of bacteria. Total and fecal coliform were used as indicator organisms and were enumerated following chlorination tests. Chlorination tests showed that inactivation of coliform bacteria in undiluted centrate was achieved at a dose of 100 mg/L of chlorine (as NaOCl) after a 30 minute contact time. Changes in the centrate TDS were measured following disinfection and TDS values were found to increase by less than 10%.

Centrate diluted in TMWRF reuse water was tested for root growth inhibition using two different plant seedling species: *Arabidopsis thaliana* (a highly sensitive species) and tobacco (a hearty species). Low concentrations of centrate (less than 1% mixed in reuse water) were found to result in germinated *Arabidopsis thaliana* seedlings with smaller root lengths compared to untreated controls; however, the presence of centrate led to larger cotyledons (first leaves following germination) suggesting that centrate enhanced growth of plant material. In tests with tobacco, centrate concentrations up to 5% in reuse water did not have a significant adverse effect on root growth. Greenhouse growth studies with both alfalfa and golf course turf grass are currently underway to identify the influence of adding centrate to reuse water on plant growth and yield.

**THE OSMOTIC MEMBRANE BIOREACTOR:  
A DUAL BARRIER APPROACH TO POTABLE WATER REUSE**

**Andrea Achilli, Eric A. Marchand, Amy E. Childress  
University of Nevada, Reno - Department of Civil and Environmental Engineering**

**Tzahi Y. Cath - Colorado School of Mines  
Environmental Engineering and Science Division**

The paper presents a novel wastewater treatment process known as the osmotic membrane bioreactor (OMBR). The OMBR process is the integration of a wastewater bioreactor with forward osmosis (FO) technology. It utilizes a submerged FO membrane module inside the bioreactor. FO, or simply osmosis, is the transport of water across a selectively permeable membrane from a solution of higher water chemical potential (low osmotic pressure) to a solution of lower water chemical potential (high osmotic pressure). Typically, the FO process results in concentration of the feed stream and dilution of a highly concentrated stream (referred to as the draw solution (DS)).

In the OMBR system, wastewater is fed into a reactor which is continuously aerated to supply oxygen for the biomass and to scour the membrane. Through osmosis, water diffuses from the bioreactor, across a semi-permeable membrane, and into a high salinity DS. The FO membrane acts as a barrier to solute transport and provides high rejection of the contaminants in the wastewater stream. The diluted DS is sent to a desalination process (e.g., reverse osmosis or distillation) which re-concentrates the DS and provides high-quality product water. Thus, in most wastewater treatment applications, FO is not the ultimate process but rather a high-level pretreatment step before an ultimate desalination process. Furthermore, the FO followed by a desalination process treatment scheme represents a dual barrier purification system.

Membrane bioreactor (MBR) technology is an attractive alternative wastewater treatment; the membrane retains solids inside the bioreactor and achieves high nutrient removals and effluent disinfection. Compared to the microfiltration or ultra-filtration process in a conventional MBR, the FO process in the OMBR offers the advantages of much higher rejection (semi-permeable membrane versus microporous membrane) at a lower hydraulic pressure. FO is also likely to have lower fouling propensity than pressure-driven systems.

Preliminary results from experiments conducted with a flat-sheet cellulose triacetate FO membrane and NaCl solution as the DS demonstrated high sustainable water flux and relatively low reverse transport of solutes from the DS into the bioreactor. Membrane fouling was minimal and controlled with osmotic backwashing. The FO membrane was found to reject 98% of organic carbon and 90% of ammonium; the OMBR process was found to remove 99.8% of organic carbon, and 97.7% of ammonium.

## THE TREATMENT OF COOLING TOWER BRINES THROUGH NOVEL MEMBRANE PROCESSES

Mirinda J. Hutton - University of Nevada, Reno, Civil and Environmental Engineering  
Amy E. Childress - University of Nevada, Reno, Civil and Environmental Engineering  
Nathan Walker - Colorado School of Mines, Environmental Science and Engineering  
Tzahi Y. Cath - Colorado School of Mines, Environmental Science and Engineering

Water and energy are intertwined; it takes energy to extract, clean, and distribute water. It is also used to produce energy by generating steam that spins turbines and as a cooling medium for processes. This interdependency, coupled with the increasing population in the US, is creating an ever increasing demand on the nation's water resources.

In cooling towers, large portions of the makeup water evaporate; leaving behind a stream concentrated with dissolved and suspended contaminants. These contaminants are originated from the water source or from the air. Most makeup water is being treated before use in cooling towers, but is still limited for use before scaling and fouling occur in the cooling tower. The blowdown water that is produced is contaminated with chemicals. This could have severe environmental implications. Therefore, volume minimization and water reuse in these applications is of great importance.

The current study evaluates a wide range of membrane processes for treatment of cooling water in the geothermal power industry. Two groups of membrane processes are being evaluated. Pressure-driven membrane processes, including ultra-filtration, nanofiltration, and low-pressure reverse osmosis, and membrane contactor processes, including membrane distillation and forward osmosis. A thorough comparison between the technologies aims at providing process selection guidelines. Results from the pressure driven membrane processes have shown that the system is able to operate at low pressures and fluxes are able to be recovered after cleaning processes. Results from membrane distillation have shown that high water recovery can be achieved with blowdown water from power plants. Moreover, the driving force for water production in membrane distillation is the heat (temperature) of the feed solution; and because the blowdown water is already at elevated temperature, no additional energy is required to produce highly purified water for reuse

The current study is sponsored by the National Renewable Energy Laboratory.

## SESSION SEVEN

### OPERATOR CERTIFICATION TRAINING (OCT) – PART THREE

## SESSION EIGHT

### WATER IS LIFE – INFRASTRUCTURE PANEL DISCUSSION – PART THREE

## SESSION NINE

### FINE SCREENING EQUIPMENT – FIRST LINE OF DEFENSE

**Author – Gerhard Forstner, President, Huber Technologies, Inc**  
**Presented by - T.R. Gregg, West Region Manager, Huber Technology, Inc**

Equipment selection is the most important step in the design of a treatment plant. This is true whether the plant is new or an upgrade. For better or worse the equipment that is installed is there to stay for many years to come. Anyone that has ever operated a treatment facility can quickly tell you horror stories of bad equipment. In many cases it is not the fault of the equipment but rather the equipment not being suited for the application. This scenario is magnified in the headworks of the treatment plant. Nowhere else is equipment called on to do so much. The headworks are the plant's first line of defense. If the equipment in the headworks does not operate properly, then every stage downstream will be affected. When it comes to screening there are a number of different technologies available. It is the responsibility of the plant personal and consulting engineers to fully understand the needs of the facility and to fully understand the different types of screens available to make the best selection. It is no guarantee that what work well for a nearby facility will work for you. This paper will introduce the prominent fine screening technologies available and examine each on a number of important selection criteria.

### ENVIROQUIP MBR SYSTEM HELPS OHSU GO PLATINUM

**Kimberly Mathis, Senior Regional Applications Manager, Membrane Bioreactors**  
**Enviroquip, a division of Eimco Water Technologies**

Enviroquip was the preferred supplier for the MBR system used in the Oregon Health and Science University's River Campus One building that has achieved LEED Platinum status. To date, it is the largest LEED Platinum certified building in the US. The Enviroquip MBR System was selected as the technology-of-choice because of its superior effluent quality, small footprint, ease-of-operation, and cost of ownership.

Among many energy and water conservation programs, the OHSU building recycles 100% of the wastewater generated. It is reused for in-building toilet flushing and landscape irrigation. The OHSU building uses approximately 60% less potable water than a similar conventional building with the help of the Enviroquip MBR System. Effluent not reused is discharged directly to the Lower Willamette River. Discharging the effluent to the river is possible because of the Level IV reuse water produced by the MBR system.

## THE SCOP PIPELINE AND ENDANGERED SPECIES ACT

**Presenter - Douglas D. Drury, P.E., PhD, Deputy General Manager, Clark County Water Rec. District**  
**Author - Lynn H. Orphan, P.E., Regional Water Quality Manager, Clean Water Coalition**

The wastewater dischargers of the Las Vegas Valley formed the Clean Water Coalition (CWC) to plan an alternative discharge, and then to build a pipeline for the discharge of highly treated effluent into the Boulder Basin of Lake Mead. The pipeline project entitled Systems Conveyance and Operations Program (SCOP) required permits from both the Bureau of Reclamation (BOR) and the National Park Service (NPS). The Environmental Impact Statement (EIS) for the project included addressing the Endangered Species Act (ESA) because of the designation of Lake Mead and the Las Vegas Wash as endangered species habitat. The United States Fish and Wildlife Service (USF&WS) conducted a Section 7 consultation with both BOR and NPS. The results of the consultation were:

1. CWC to support national research for the Razorback Sucker.
2. CWC to conduct monitoring of endocrine disrupters (EDCs) in Lake Mead.
3. CWC to conduct with SNWA, Clark County Water Reclamation District (CCWRD), USF&WS and United States Geologic Survey (USGS) a research project to determine the multi-generational impact of highly treated sewage effluent on the Fathead Minnow as a surrogate for the Razorback Sucker.
4. To protect the Desert Tortoise during construction of the pipeline along the Las Vegas Wash.
5. Not to construct along the Las Vegas Wash during the nesting season of the Southwest Willow Flycatcher and other migratory waterfowl.

This paper will discuss the multi-generational impact tests on the Fathead Minnow.

## **DROUGHT 2008: LAKE MEAD SURFACE ELEVATIONS AND THE EXPANSION OF CLARK COUNTY WATER RECLAMATION DISTRICT'S CENTRAL PLANT**

**Author/Presenter - Douglas D. Drury, P.E., PhD, Deputy General Manager**  
**Clark County Water Rec. District**

Clark County Water Reclamation District (CCWRD), like the other dischargers of the Clean Water Coalition, has been experiencing phenomenal growth and increased flows. This tremendous growth coupled with the drought has made water quality a major concern. All of the managers of the water resources in the Las Vegas Valley have joined together to form an even larger coalition, the Las Vegas Valley Watershed Advisory Committee, to address the future water quality issues of the valley. The first meeting of this new committee was held in February 2008. To keep up with this growth, CCWRD has been designing and constructing new process units. During the design we have been asking ourselves, to what water quality goals should we be designing the new process units? How will CCWRD meet the present phosphorus Total Mass Daily Load in the future with higher flows?

## SESSION TEN

### OPERATOR CERTIFICATION TRAINING (OCT) – PART FOUR

## SESSION ELEVEN

### SANITARY SEWER OVERFLOWS PANEL Uniformity of Reporting SSO's in Nevada

NWEA President: Leslie Long: Opening Remarks

#### REGULATORY VIEW

Nevada Division of Environmental Protection (Val King)

1. Brief overview of Regulations/Requirements
2. What is expected of agencies - reporting policy of June 3, 2002
3. Anticipated future regulations

#### AGENCIES: QUESTIONS/CONCERNS TO BE ADDRESSED

1. How is your agency dealing with SSOs? Biggest Challenges?
2. Preventative maintenance practices to prevent SSOs
3. Tracking and reporting methods for SSOs
4. Future program modifications

#### AGENCY PARTICIPANTS:

Clark County Water Reclamation: Rick Donohue or Doug Drury

City of Las Vegas: Dan Fischer

City of North Las Vegas: Tom Rura

City of Henderson: Priscilla Howell

City of Reno: Stephen Long

City of Sparks: Randall Gray

## SESSION TWELVE

### DEMONSTRATING THE BENEFITS OF 3D BUILDING INFORMATION MODELING FOR THE CITY OF NORTH LAS VEGAS NEVADA WATER RECLAMATION FACILITY

Presenter: Julian Hoyle, Vice President, CH2M Hill

Authors: Leslie Long, Julian Hoyle, George Crawford, David Bereskin, Ram Janga

The City of North Las Vegas, Nevada is growing rapidly in both population and land area. The City's mission is to provide treatment of wastewater to meet regulatory requirements and to be able to do so in the most cost effective manner. In order to accomplish this, the City is designing and constructing a 25 mgd facility that includes a membrane bioreactor (MBR), solids processing on-site, and a "good neighbor" facility. The design for the membrane bioreactor facility is being completed using 3D Building Information Modeling (BIM) tools in support of a fast paced design with a Construction Manager at Risk delivery approach.

#### **Building Information Modeling**

The Building Information Model—or BIM—advances the use of information throughout the facility's lifecycle. Information for the project design is captured from smart 2D drawings, 3D models, and other information (typically data that is manually entered). Thus, the BIM delivery model encompasses three distinguishing features:

- An integrated, multidisciplinary 3D model from which 2D plans and sections can be extracted.
- Information for the facility (the "I" in BIM) captured from intelligent 2D schematics, intelligent 3D models, and other information that is manually entered.
- The capture of information throughout the facility lifecycle process, including design and construction information to be used in facility management.

BIM 3D moves beyond earlier 3D/2D efforts with the following different approaches:

- Facility design is done using 3D models throughout the entire design process.
- All disciplines are modeled in 3D.
- 2D plans and sections are extracted from an integrated, multidisciplinary 3D model.

#### **BIM Benefits in Project Delivery (Conventional and Alternative Delivery)**

BIM 3D benefits, apart from the enhanced visualization capability for owners and designers, include favorable design costs, simplified identification of conflicts and interferences among piping, structures and equipment, and assurance that the final drawings are coordinated without conflicts or superseded information. Unlike traditional 2D drawings and the early generation of 3D models, BIM 3D design components are linked to a database with functionality to generate isometrics, bills of materials, and intelligent design tools. BIM takes BIM 3D design further by adding equipment recognition, integrated simulation and analysis, quantity take-offs of building components, multidisciplinary 3D design modeling (by definition), and interference coordination—all integrated with a project database. BIM includes 3D modeling, *but emphasizes collaboration and provides additional information to deliver a more comprehensive facility.*

#### **Conclusion**

No one can deny that times have improved through the use of 3D design. Taking a virtual 3D "walkthrough" of a proposed water or wastewater facility helps all involved in the process—be they designers, owners, plant staff, regulatory agencies, or contractors—to see clearly the layout and function of the various aspects of the facility. And using BIM 3D, the benefits continue to progress throughout the lifecycle of the project.

## SOLIDS HANDLING FACILITIES FOR MEMBRANE SLUDGE FOR THE CITY OF NORTH LAS VEGAS WATER RECLAMATION FACILITY

Joseph R. Popeck, P.E. - Greenley and Hansen LLC/ David Bereskin, P.E. - City of North LV, Utilities Dir.  
Leslie Long, P.E. - City of North Las Vegas, NV, Technical Services Manager

### **The Problem**

The City North Las Vegas (CNLV) is currently undertaking the design and construction of a completely new 25 mgd Water Reclamation Facility (WRF) that will employ a Membrane Bioreactor activated sludge process. Furthermore, the plant is being designed so that a future expansion, increasing the capacity to 50 mgd, can be accommodated with minimal disruption to operation of the initial 25 mgd WRF.

Historically, it has been reported in the literature, that waste activated sludge (WAS) from Membrane plants have been more difficult and may require higher dosages of polymer to thicken and dewater that WAS from conventional activated sludge plants. Other literature sources claim that thickening and dewatering of sludge from Membrane plants is very similar to conventional plant WAS. Experience of the Design Team with Membrane Plant Sludge and sludge exhibiting similar characteristics tend to confirm the reported difficulties regarding thickening and dewatering of this type of sludge.

### **Goals and Objectives**

The primary goal of the design is that adequate and appropriate equipment is selected and included in the design to assure that the WAS from the new Membrane Bioreactor WRF for the CNLV will be cost effectively thickened and dewatered suitable for disposal at landfill. Provision of polymer feed systems, with adequate capacity and flexibility to permit optimization of polymer dosage to throughput is an essential component of achieving this goal.

Another goal for the project includes provision of odor control so that nuisance odor emissions from the facility are mitigated.

Finally, the facility must be designed to minimize manpower requirements for operation and maintenance and to employ automation to the extent considered practical for a solids handling facility.

### **Identify the Problem**

Since this is a completely new facility, it is not possible to pilot test equipment on the exact membrane sludge to be dewatered. Furthermore, due to the extremely tight schedule for the design and construction, there is no real opportunity to identify and perhaps set up a pilot program at another operating Membrane Bioreactor plant having sludge with projected similar characteristics.

Furthermore, the site for the CNLV WRF is approximately 21 acres, which limits the overall land available for solids handling facilities and was therefore a consideration in the selection of thickening technologies.

These limitations required that the Design Team take into consideration, the opinions presented in the literature, experience from Membrane manufactures, experience of the Design Team on thickening and dewatering of similar sludge and Best Engineering Judgment with regard to the selection of equipment systems and technologies to be incorporated into the design of the Solids Handling Facility for CNLV WRF.

### **The Solution**

The solution developed by the Design Team incorporates the use of Gravity Belt Thickeners (GBT's) for the initial thickening of the Membrane Bioreactor WAS followed by Centrifuge Dewatering to produce a cake suitable for landfill disposal.

The paper will discuss the various options considered for thickening and dewatering, selection of support equipment such as polymer storage and handling equipment, sludge pumps, cake conveyance and truck cake loading facilities.

## **ADVANCED BIOLOGICAL ODOR CONTROL FOR WASTEWATER TREATMENT PLANTS**

**Authors: Daryl Letto, Derek Webb**

Biological odor control refers to the use of bio-filters, bio-trickling filters, and bio-scrubbers to treat waste air streams and rid them of hazardous and odorous compounds. Since biological means of treating waste air streams has become an accepted technology, there have been many advances in the technology. The limitations of organic bio-filter media and bio-trickling filters are now well understood. Past standard technologies, such as chemical scrubbers, no longer meet the stringent odor removal performance required as urban sprawl and environmental regulations govern what is acceptable. This is particularly important when considering technology to meet the ambient air quality standards and emission requirements. Consideration of a variety of parameters is required to ensure the system is properly suited to the air that is to be treated. These guiding principles include the source of odors, flow rate, contaminant type and concentration, required performance, proximity of neighbors, and available space, water and utilities. Consideration of these will enable the proper selection of a suitable technology. Novel technologies and approaches to biological odor are required to satisfy the stringent odor performance criteria of WWTPs. The most recent developments include hybrid technologies, next generation medias, and reactor configurations. This paper will discuss in detail the most recent advances in bio-filtration, bio-trickling filtration, and hybrid technologies. In addition, guiding principles for the selection of appropriate advanced biological odor control systems will be discussed. These advances in biological odor control technology will be discussed with reference to various case studies and operating data.

### **SESSION THIRTEEN**

#### **RUNNING A SMALL WWTF FOR RECLAMATION AND REUSE LESSONS FROM FIVE YEARS OF EXPERIENCE AT ROLLING A**

**Skeet Sellers, Lyon County Utilities Department  
William K. Faisst, Brown and Caldwell  
Alok Gupta, Brown and Caldwell**

Lyon County Utilities Department has operated its Rolling A Wastewater Treatment Facility (WWTF) for over five years, delivering effluent for reuse through recharge to groundwater and golf course irrigation. During that time, staff has run the facility successfully through two major expansions and numerous challenges caused by once rapid residential and commercial development. The permitted capacity is now 1.5 million gallons per day, operated with 40-hour per week staffing.

The WWTF must meet Nevada Administrative Code requirements for Reuse category B since human contact is reasonably expected to occur and onsite recharge basins (RIBs) are very close to groundwater. In addition the facility is a stone's throw from new housing so odor control is of paramount importance.

This presentation will provide a process and operational overview of the WWTF, especially the sequencing batch reactor (SBR) system, discuss challenges faced and overcome during its operations, and make suggestions for key design features and successful operational control. With careful operation, the SBR system can meet 30/30/10 requirements for 5-day biochemical oxygen demand (BOD<sub>5</sub>), total suspended solids (TSS), and total nitrogen (TN) while holding fecal coliform counts below 2.2. Typical effluent is single digit for BOD<sub>5</sub> and TN, below the detection limit for TSS, with phosphorus approaching 1 mg/L. Efficient operation at Rolling A has allowed LCUD to mothball other WWTFs and send all Dayton area raw sewage to Rolling A.

**MORE CAPACITY ON THE FLY--THIRD EXPANSION OF THE ROLLING A WWTF  
SUCCESSFUL CONSTRUCTION MANAGEMENT**

**Donette Barreto, Lyon County Utilities Department  
William K. Faisst, Brown and Caldwell  
Rich Mattucci, Brown and Caldwell**

Lyon County Utilities Division (LCUD) has expanded its Rolling A Wastewater Treatment Facility (WWTF) three times in the last 6 years. The latest expansion, completed in the spring 2007, increased treatment capacity by almost 400 percent (0.25 million gallons per day—mgd—to more than 1.2 mgd) while adding new processes to improve performance, control odors, and enhance capability for effluent reuse and disposal. Almost \$15 million in construction was completed in 15 months with less than 1.2 percent change orders for all causes.

Unlike the approach for many smaller utilities, LCUD chose to manage bidding and construction using its own staff. LCUD's only senior engineer served as the Construction Manager. For this fast track project, close Owner staff participation throughout the construction accelerated decision making and avoided potential delays and claims. Ongoing operations carried through without major disruption. This presentation will discuss the project, especially successes with construction management and decision making. Several interesting challenges will be reviewed.

## BNR STARTUP AND OPERATION AT THE CITY OF HENDERSON WRF

Presenter: Howard Analla

Authors: James Okazaki, Adrian Edwards, Howard Analla

The City of Henderson (COH) is upgrading and expanding the WRF from a 24 mgd nitrification process with chemical phosphorus removal to a 32 mgd biological phosphorus removal process with nitrification and denitrification (BNR) plus chemically enhanced supplemental phosphorus removal (SPR). The upgraded facility will be comprised of two 12 mgd and one 8 mgd BNR process trains. The BNR and SPR modifications were constructed in phases to accommodate current process operation and construction sequencing.

In April 2007 the 8 mgd BNR process train was brought on line. A series of startup meetings and planning sessions were conducted to prepare the contractor, design engineer, construction manager, laboratory, and the operations and maintenance for the startup and sustained operation of the new treatment process.

The planning included:

- Verification that the structures and equipment were built as intended
- Development of tracking forms to verify that the instrumentation and control features were ready for startup and operation
- New bench sheets and monthly operating reports were developed
- Operator training was conducted by the equipment vendors to focus on the equipment or process operation
- Process overview and process control training was conducted by the design engineer
- A startup plan was conceived and all vested parties agreed to a final plan prior to startup

The elements listed above allowed for a smooth startup with few glitches; no major show stopping problems were encountered. Startup operating data will be presented to show how the process goals and milestones were achieved and allowed the process to achieve operating limits in less than two weeks. After achieving proper operation the flow was slowly increased to 10 mgd (2 mgd above design flow) to alleviate flow from the existing nitrification process and allow the 12 mgd trains to be converted to the BNR process mode.

In February 2008 the next BNR train was ready for operation and placed into service. Similar startup planning was used to startup the process and in less than one week the process was operating and meeting intended operating limits. Process data and trend charts will be shown to indicate how the operating milestones were met and used to sustain operation.

At the presentation of this paper the final train will be on line and additional operating data will be available for presentation and discussion.

## SESSION FOURTEEN

### OPERATION EXPERIENCE WITH THE LARGEST AVERAGE DAY FLOW MBR IN THE NORTH AMERICA

Minggang Liu, Grant MacInnis and Jeff Peeters - ZENON Membrane Solutions, GE Water & Process Technologies

Glenda Nichole - Kyrene Water Reclamation Plant, City of Tempe, Arizona

This paper presents 2-years of successful operation experiences of the Kyrene Water Reclamation Plant in Tempe, Arizona, the largest design average day flow MBR plant in operation in North America at present time. This MBR plant was converted and expanded from the existing activated sludge system for ADF of 9.0 mgd. It consists of six (6) biological trains and eight (8) ZeeWeed® membrane trains, with the MLE process configuration to achieve total nitrogen removal.

Since being commissioned in May, 2006, the Kyrene MBR plant has treated all the influent flow available and consistently achieved permeate NO<sub>3</sub>-N < 4 mg/L and TN < 5 mg/L, as shown in Table 1. The transmembrane pressure has been sustained at < 2 psi with a NaOCl maintenance clean frequency of twice per week. NaOCl recovery cleaning frequency is less than once per year and citric acid cleaning has not been applied to-date.

The actual influent flow is approximately ½ the design capacity due to the limited sewage supply and thus only a portion of the eight ZeeWeed membrane trains are simultaneously in operation. This paper investigates the options to optimize the operation under the current conditions to reduce operation cost. It also discusses lessons learned related to mechanical design and operation.

Cost analysis is conducted with actual costs in chemical usage, power consumption, O&M expense, and labor and sludge disposal, while life cycle cost is evaluated based on the current and projected operation cost when the plant reaches the design capacity in the future as well as the projected membrane replacement cost. The operation cost and life cycle cost are compared with the previous conventional activated sludge system and other MBR plants at the similar scale.

**Table 1: Monthly Average of Permeate Quality Parameters**

Month	Influent		Bioreactor	Permeate				
	COD	TSS	MLSS	COD	TSS	TKN	NO <sub>3</sub> -N	TN-N
	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Sep, 2006	488	157	5943	19.1	0.27	0.8	1.56	2.36
Oct, 2006	457	162	6376	17.9	0.27	0.7	1.56	2.26
Nov, 2006	453	185	7929	16.2	0.27	0.9	3.69	4.59
Dec, 2006	543	232	7641	14.2	0.26	0.7	2.43	3.13
Jan, 2007	506	255	5,647	14.5	0.17	1.00	3.02	4.02
Feb, 2007	466	308	5,560	18.2	0.19	0.89	2.99	3.88
Mar, 2007	425	218	3470	16.8	0.20	1.20	3.27	4.47
Apr, 2007	409	234	5110	13.9	0.18	0.97	3.48	4.45
May, 2007	480	275	8301	12.9	0.24	0.81	2.84	3.65
Jun, 2007	463	213	7509	19.6	0.17	0.99	2.90	3.89
Jul, 2007	398	215	7384	17.0	0.17	1.04	3.68	4.72
Aug, 2007	445	255	8406	17.0	0.23	1.03	2.98	4.01
Sep, 2007	397	224	8828	16.0	0.24	1.28	3.17	4.45

## WHAT EVERY BOARD MEMBER SHOULD KNOW ABOUT HEALTH, SAFETY AND RISK MANAGEMENT

**John Bannen, Senior Client Representative, Workplace Safety Specialists**

Calculating the direct cost savings of an effective health and safety program is like trying to get an answer to the questions "How long is a rope?" Board members of water and wastewater districts and utilities are presented with unique opportunities that do not always equate to the private sector or large companies. Implementing or understanding the value of health and safety programs and risk management is one of those unique circumstances. A recent study of over 400 utility boards showed that 56% of the boards had no involvement with health and safety, 33% were unsure of their role, which leaves 11% who were in good standing with their involvement in the organization's health and safety programs.

Board level direction can offer employees strong leadership, demonstrate commitment, and help improve employee health and safety. Appointment of a board member to a specific oversight role in health, safety and risk management within an organization is a benefit that can return measurable benefits. An initial investment into a safety program, employee personal protective equipment or consultation services within the organization historically returns a net of 3 to 1. Effective leadership skills and health or safety knowledge typically must be obtained through training and education of the board member. But by specifically defining goals and expectations of one board member, the entire board, as well as the organization, can benefit from his activities.

In addition to the financial benefits of an established health and safety program, a solid understanding of organizational liability relative to protection of the public interests, assets and company asset versus the company employees' safety is a fundamental difference between risk management and safety programs. While risk management traditionally focuses on the liability side and impact to the public safety, property, etc., safety programs focus on the organization's employees and their actions. It should be easy to see a close relationship between what and employee does at work – working safely while out in the public – and how this can affect the organization on the risk management side.

## SESSION FIFTEEN

### TOTAL WATER MANAGEMENT: GOING GREEN IN THE FACE OF POPULATION GROWTH & WATER SCARCITY

#### INTEGRATED SYSTEMS, REGIONAL PLANNING, AND THE ECONOMICS OF WATER RECLAMATION

Trevor T. Hill, P.E. - Global Water

Water management in Arizona and the arid southwestern United States is being influenced by two increasingly synchronous and alarming trends: explosive growth and water scarcity.

The intersection of these factors – a future certainty – will drive water policy to extreme measures. In the absence of action now, those measures will both arrive sooner and be significantly more expensive. Sustainability in the future will depend solely on what action is taken today to preserve and extend the regions limited and increasingly valuable water resources. The purpose of this paper is to outline the limits of water resources in Arizona, and to present solutions to sustainability developed and implemented by Global Water in its fastest growing service areas.

Managing water scarcity in the face of unprecedented growth requires a shift in the way we think about this vital resource. The looming water crisis needs to be met head-on with provider-driven conservation methodologies that reduce reliance on limited ground and surface water supplies. As Arizona's fastest growing private water and wastewater utility owner, Global Water Resources ("Global") is driving the deployment of efficient water resource management to ensure the sustainability – environmental and economic.

Over the course of four years, Global has changed the water delivery paradigm in Arizona. Embracing the certainty of future water scarcity, Global has implemented one of the largest total water management plans in the nation. Formed in partnership with the City of Maricopa, the City of Casa Grande, and the Ak-Chin Indian Community, this plan benefits over 300 square miles – a potential build-out of 500,000 future homes – with water conservation as the number one priority.

Global has invested \$150 million in water, wastewater and recycled water infrastructure in Maricopa, including 25 miles of purple pipe to deliver Class A+ recycled water to a multitude of beneficial reuses throughout the region. Starting in 2008, Global, in conjunction with the development community, will begin the deployment of recycled water infrastructure direct to individual lots. This has the potential to further reduce the reliance on non-renewable resources, and to maximize the beneficial re-use of recycled water. In short, total water management means employing the right water for the right purpose.

In order to achieve this level of recycled water deployment, integrated services and public private partnerships are critical. More so, however, will be the public acceptance of recycled water. Global has undertaken unique efforts in educating its consumers and regulators; partnering in research projects on recycled water with the University of Arizona; active membership in the Arizona Water Institute; public outreach with an award-winning advertising campaign designed to inspire confidence in recycled water to replace potable water for non-potable uses; and building a award-winning 25,000 sf operations center to meet LEED certification standards including toilet flushing with recycled water.

Global's combination of infrastructure, cooperation and education are the new model for total water management. Individually none can effect true change in the water situation. When taken collectively however, the goals of true sustainability can be achieved.

**WATER PIPELINE CONDITION ASSESSMENT**  
**Holly McNaught - Water/Wastewater EIT, HDR Engineering, Inc,**  
**Mark Russo - Senior Maintenance Engineer, Southern Nevada Water Authority**

Buried pipelines often operate in a state of corrosion condition anonymity. Condition assessment provides an illustration of infrastructure condition for monitoring and future asset planning. The Southern Nevada Water Authority (SNWA) retained the services of HDR Engineering, Inc. (HDR) to provide an important condition assessment of about 58,000 linear feet of crucial large diameter potable water pipeline in Las Vegas, Nevada. The pipeline consist of approximately 5,100 linear feet of 96-inch pre-stressed concrete cylinder pipe (PCCP) and the remaining consists of 66-, 72-, and 90-inch cement mortar lined and coated steel pipe (CML&C). The pipeline was constructed during the 1970s with no cathodic protection and only a few test stations have been installed.

The focus of this paper is the application of condition assessment technologies, conducted in strategic phases, to provide a detailed profile of the infrastructure's condition through an examination and evaluation of the supporting soil corrosivity and resistivity as well as the outer steel surface condition and thickness. This paper will describe and compare current and developing inspection technologies including a non-destructive testing technique for obtaining pipe wall thickness data.

**Keywords:** Pipeline corrosion, non-destructive evaluation, condition assessment, and water.

**INNOVATIVE TREATMENT ALTERNATIVES FOR SMALL COMMUNITIES**  
**Kirk Peterson, President, SPB Utility Services, Inc.**

Rural Nevada communities are struggling with higher construction costs and increased labor needs while providing for the needs of the utility customer. There is an increasing need for new methods of treatment that provide a high level of treatment, as well as reliable operation with minimal operator attention.

**Nevada Correctional Facilities**

Nevada correctional facilities are a good example of where of high level of treatment can be difficult to attain. Honor camps are minimum security facilities housing about 150 inmates. Many of these facilities provide both water and wastewater treatment and disposal of the treated effluent.

Nitrate contamination of the groundwater from leachfield disposal of the septic tank effluent has in many cases exceeded the allowable limits.

The solution for the Rose Creek Honor Camp (Humboldt County) was the installation of a single basin sequential batch reactor. After a year of operation, we now have data to evaluate the overall effectiveness of the process. (A comparative review with the more standard package system will be included with this presentation.)

**City of Tonopah A.I.P.S. (Advanced Integrated Pond System)**

The City of Tonopah produced an abbreviated preliminary engineering report which clearly indicated that a conventional pond system or mechanical treatment plant would greatly impact user rates.

One of the largest expenses was for the electrical power requirements and Tonopah P.U.D. was determined to find a process that would reduce or eliminate the cost of electricity. The only viable option was to install an AIPS at the existing plant site; the system has been in service for almost a year. Not all data is available for an accurate assessment at this time, but there is sufficient information to provide an early look at the system performance.

## SESSION SIXTEEN

### MANDATORY CEU PANEL DISCUSSION

May 16, 2008 / 10:30 AM – 12:00 PM

There will be a panel discussion on Friday morning to discuss continuing education for certification renewals. Nevada does not currently require continuing education for wastewater operator certification renewals nor does NWEA require it for its voluntary certification programs. Continuing education has become the accepted standard for certification programs nationwide so has become a focus of attention in Nevada. The panel will discuss viability, benefits and hurdles in implementing a continuing education requirement in Nevada. Panelists will include subject matter experts representing NDEP, NWEA's Certification Board, ABC, Rural Operators, POTWs, and WEF.

## SESSION SEVENTEEN

### COMPARISON STUDY OF METHODS FOR DETERMINING MPN FOR COLIFORMS

Lillie Fleming, Chemist, City of Henderson

The City of Henderson Water Quality Laboratory (COHWQL) supports the wastewater, drinking water, and pre-treatment functions of the Utility Department for the City of Henderson. Multiple-Tube Fermentation Technique for Members of the Coliform Group is the analytical procedure currently used to enumerate coliforms for compliance reporting of fecal coliform density. It takes up to five days to generate results and requires a significant volume of growth media preparation. Enzyme substrate coliform test utilizing a multi-well format for wastewater is a newly approved method for enumerating *E. coli* and total coliforms. This test produces results in 24 hours and does not require any media preparation. A comparison study for determining MPN for Total Coliforms, Fecal Coliforms and *E. coli* using Multiple Tube Fermentation and Enzyme Substrate coliform method with multi-well format will be discussed.

## A NOVEL APPROACH TO ENHANCED WATER-RECOVERY FROM REVERSE OSMOSIS BRINES

C. Riziero Martinetti / Amy Childress - UNR Dept. of Civil and Environmental Engineering  
Tzahi Y. Cath - Colorado School of Mines, Environmental Science and Engineering

The global demand for fresh water is continuously increasing while water resources are being depleted, contaminated, or adversely affected by drought. Water reclamation and reuse, seawater and brackish water desalination, and water conservation are the main methods currently used in an effort to resolve water scarcity problems. However, some of these methods are energy intensive (e.g., RO), can achieve limited water recovery (e.g., brackish water desalination), or are not yet acceptable for potable reuse (e.g., reclaimed wastewater). Recently, enhanced water recovery in brackish water desalination receives greater attention in inland arid regions due to increased water demand and limited options for brine disposal. Advanced processes such as seeded RO, mechanical evaporation/crystallization, and lime/soda softening are being studied for use in zero liquid discharge (ZLD) and near-zero liquid discharge (near-ZLD) systems.

In a recent study, direct contact membrane distillation (DCMD) and forward osmosis (FO) were investigated as potential membrane separation processes for water recovery enhancement in desalination of brackish water. In DCMD, water only evaporates through the pores of a microporous and hydrophobic membrane, rejecting almost all dissolved solids. Because the driving force for mass transport in DCMD is vapor pressure gradient, the concentration of the feed solution (even at relatively high levels) minimally affects water flux through the membrane. IN FO, concentrated draw solution (DS) is used to create a strong osmotic pressure driving force for transport of water through a semi-permeable membrane from a feed solution into the DS – thereby concentrating the feed and minimizing its volume. Past studies have demonstrated that both DCMD and FO can directly be effectively utilized in treatment of a wide range of highly concentrated feed solutions, including saline water.

In the current study, two brine streams from a brackish water desalination plant (Eastern Municipal Water District, California) at an average total dissolved solid concentration of 7500 mg/L and 17,500 mg/L were further desalinated by vacuum enhanced DCMD (VEDCMD) and by FO. Test results from both processes revealed that water recovery was limited by inorganic scale deposition on the membrane surface. Yet, despite the scaling environment, high water recoveries were achieved. Various cleaning techniques were able to remove the scale layer from the membrane and restore water flux to almost initial levels. FO achieved water recoveries up to 90 percent from the brines and VEDCMD achieved water recoveries up to 81 percent. Addition of a scale inhibitor was effective at maintaining high water flux for extended time; further enhancing water recovery. When considering the combined water recovery of EMWD and the investigated process, close to 97 percent total recovery was achieved.

## CITY OF TRACY WETLANDS AND HABITAT ENHANCEMENT PROJECT

Vijay Kumar, P.E. – CH2M Hill

The City of Tracy must expand its wastewater treatment facility to meet the growing needs of our community. The new wastewater treatment facilities are currently being constructed next to the existing plant that will process the increasing flow. Currently, treated wastewater is sent to Old River where further natural treatment occurs. To protect aquatic life in the River, the Regional Water Quality Control Board may require the City of Tracy to cool their treated wastewater. To accomplish this, the City of Tracy is considering creating a cooling wetland system near the treatment facility. The wetland will also incorporate walking paths and interpretive signs for public use. In addition, as a part of the project, the City is in the process of partnering with San Joaquin County Parks to build a new waterfront park in the area.

As a first step, the City is conducting a preliminary study to determine the best methods for cooling and will conduct a pilot study on City owned land. Creating a wetland system is the most environmentally friendly approach to accomplish the effluent discharge. In addition, the City is considering creating much-needed new park areas adjacent to the wetland for families to enjoy.

This presentation summarizes planning and engineering work that has been completed including analysis of various options. An animated video using advanced video editing was prepared to highlight the project features and to explain the benefits of the presentation. Due to its creativity, Tracy Wetlands Video received the 2006 Telly Award. At the end of the presentation, the award winning video will be shown.

### SESSION EIGHTEEN

#### THE SIMULTANEOUS REMOVAL OF ARSENIC AND MANGANESE FROM WATER IN NORTHERN NEVADA

H. C. Liang - Rothberg, Tamburini & Winsor, Inc., Denver, CO  
Samuel J. Billin - Rothberg, Tamburini & Winsor, Inc.,  
Joseph R. Tamburini - Rothberg, Tamburini & Winsor, Inc.,  
Michael J. Petti - Rothberg, Tamburini & Winsor, Inc.,

Arsenic, which occurs naturally in many parts of the earth, is a common groundwater contaminant. Not only is arsenic acutely toxic towards human health at higher concentrations, low level, chronic exposure and ingestion of arsenic is also a major human health concern and can lead to various diseases, including diabetes and cancer. The latest research also shows that arsenic can act as a potent endocrine disrupter and adversely impact hormone functions in humans. These deleterious health effects of arsenic are especially important to Nevada residents due to the rapidly growing population in Nevada, where water usage is projected to increasingly shift from surface to ground water sources as the water usage from surface water sources such as Lake Mead is capped. Because many groundwater sources in Nevada contain arsenic levels higher than the relatively new MCL of 10 ppb for drinking water, there will be growing demand for efficient arsenic removal strategies. These arsenic removal strategies should include technologies and designs that not only ensure compliance with the arsenic MCL but are also cost-effective with regard to both capital and O&M costs as well as being relatively simple to operate and maintain. In this presentation we will highlight a case study in Nevada where we successfully treated influent arsenic levels of up to several hundred ppb of arsenic down to below 10 ppb using existing infrastructure at a water treatment plant. Both bench scale tests and full water treatment plant scale data and analyses will be presented, and the rationale for our examination and refinement of the arsenic removal treatment processes will be discussed. We will also include studies of the water chemistry and the adjustments of both the treatment chemicals used and the treatment procedures, such as the chemical addition points, in this presentation. Finally, we will also report on the simultaneous removal of manganese, a secondary drinking water contaminant, in this case study.

## **CASHING OUT ON COWS: ANAEROBIC DIGESTION-RECOVERING ENERGY THROUGH TECHNOLOGY** **Rudy Kilian, P.E. – Carollo Engineers**

Anaerobic digestion is a simple technology that degrades the organic matter present in wastes and produces an energy rich gas suitable for energy recovery. Anaerobic digestion does not utilize energy and is an energy positive process.

Typically, high strength waste from local industries, restaurants and households is present in the sewer system as grease, industrial discharges or other forms of concentrated organic discharges. These high strength wastes contribute to sewer degradation and increased maintenance due to clogging and obstruction of the sewer system. They also contribute to increased odors and septic conditions of the sewer system.

The presentation will focus on the use of anaerobic digestion to degrade organic matter present in high strength organic wastes in the treatment system. The presentation will focus on the benefits of collaboration with the local industry to remove the high strength organic wastes from the sewer system and deliver them directly to the wastewater treatment facility.

The presentation will provide data on the concentration and composition of several high strength wastes and the monetary benefits of routing and degrading them in the wastewater treatment facility anaerobic digestion system.

## **TECHNICAL RESOURCES FOR PRETREATMENT PROGRAMS AND DISCHARGERS**

**John, Pollution Prevention Projects Manager**  
**UNR Business Environmental Program**

The basis of the paper will concern the technical resources available to businesses and municipalities in Nevada from the Nevada Business Environmental Program (BEP). The Nevada Business Environmental Program (BEP) is a partnership program that has operated through the Nevada Small Business Development Centers since 1988. The Program provides free and confidential regulatory compliance and pollution prevention assistance to Nevada businesses. BEP provides information and assistance statewide to several thousand businesses a year. Services and outreach mechanisms include: environmental assistance line, training seminars, newsletter and fact sheets, and on-site assessments. BEP routinely works with all types of manufacturers, printers, vehicle and heavy equipment maintenance, collision repair shops, drycleaners, photo processors, mining operations, and hotel/casino/hospitality facilities (as well as government operations).

The BEP is also the parent sponsor for the Western Regional Pollution Prevention Network (WRPPN). WRPPN consists of over 170 programs of which many provide direct technical assistance to small businesses and industry. WRPPN is a member of the Pollution Prevention Resource Exchange, (P2Rx.org) centers which provide effective tools for source reduction to the service provider, but it also seeks to promote and make readily available some of the highest quality and most current P2 content developed from members of our Network to a larger, broader, national audience consisting of businesses, industry and other local and state governments.

**2008 ANNUAL CONFERENCE – May 13-16, 2008**  
**John Ascuaga's Nugget Casino and Resort**  
**PDH/CEU Form**

**Tuesday, May 13, 2008 – 104(g) Workshop – Pavilion B**

8:00 a.m. – 4:30 p.m. Pond Operations & Maintenance – Part One – *Pavilion B*

1:00 p.m. – 4:30 p.m. Pond Operations & Maintenance – Part Two – *Pavilion B*

---

**Wednesday, May 14, 2008 – 104(g) Workshop/Collections Workshop – Pavilion B**

8:00 a.m. – 12:00 p.m. Pond Operations & Maintenance – Part Three

---

1:00 p.m. – 5:00 p.m. Collections Workshop

---

**Thursday, May 15, 2008**

**8:30 a.m. – 10:00 a.m. Session One – *Pavilion B***

Operator Certification Training – *Part One*

---

**8:30 a.m. – 10:00 a.m. Session Two - *Pavilion C***

**Water is Life – Infrastructure Panel Discussion – Part One**

---

**8:30 a.m. – 10:00 a.m. Session Three – *Pavilion A***

8:30 a.m. – 9:00 a.m. **Stormwater Quality-Regulations & the Las Vegas Valley  
Municipal Stormwater Program**

*Angela MacKinnon, P.E., MWH Americas, LV, Nevada*

---

9:00 a.m. – 9:30 a.m. **Implementing Storm Water Quality Management  
in the Truckee Meadows Watershed**

*E. Terri Svetich, P.E., City of Reno*

---

9:30 a.m. – 10:00 a.m. **City of Reno Environmental Control Pre-Treatment  
Program in the 21<sup>st</sup> Century**

*Ryan Bird, Environmental Control Supervisor, City of Reno*

**10:30 a.m. – 12:00 p.m.**      **Session Four – Pavilion B**  
**Operator Certification Training - Part Two**

---

**10:30 a.m. – 12:00 p.m.**      **Session Five – Pavilion C**  
**Water is Life – Infrastructure Panel Discussion – Part Two**

---

**10:30 a.m. – 12:00 p.m.**      **Session Six – Pavilion A**

10:30 a.m. – 11:00 a.m.      **Analysis of Centrate Composition & Applicability as a Nutrient**  
*Nalleli Herrera, Graduate Research Assistant*  
*UNR Dept. of Civil and Environmental Engineering*

---

11:00 a.m. – 11:30 a.m.      **The Osmotic Membrane Bioreactor: A Dual Barrier**  
**Approach to Potable Water Reuse**  
*Andrea Achilli, Graduate Research Assistant*  
*UNR Dept. of Civil and Environmental Engr.*

---

11:30 a.m. – 12:00 p.m.      **Treatment of Cooling Tower Brines through**  
**Novel Membrane Processes**  
*Mirinda Hutton, Graduate Research Assistant*  
*UNR Dept. of Civil and Environmental Engr*

---

**1:00 p.m. – 2:30 p.m.**      **Session Seven – Pavilion B**  
**Operator Certification Training – Part Three**

---

**1:00 p.m. – 2:30 p.m.**      **Session Eight – Pavilion C**  
**Water is Life – Infrastructure Panel Discussion- Part Three**

---

**1:00 p.m. – 2:30 p.m.**      **Session Nine – Pavilion A**

1:00 p.m. – 1:45 p.m.      **Fine Screening Equipment – First Line of Defense**  
*T.R. Gregg, West Region Manager, Huber Technology*

- 1:45 p.m. – 2:15 p.m.      **Enviroquip MBR System Helps OHSU Go Platinum**  
*Kimberly Mathis*  
*Enviroquip Sr. Regional Applications Mgr.*
- 
- 2:15 p.m. – 2:30 p.m.      **SCOP Pipeline & the Endangered Species Act**  
*Douglas Drury, Deputy General Manager*  
*Clark County Water Reclamation District*
- 
- 2:30 p.m. – 2:45 p.m.      **Drought 2008 – Douglas Drury, Deputy General Manager**  
*Clark County Water Reclamation District*
- 
- 3:00 p.m. – 4:30 p.m.**      **Session Ten – Pavilion B**  
**Operator Certification Training – Part Four**
- 
- 3:00 p.m. – 4:30 p.m.**      **Session Eleven – Pavilion C**  
**Sanitary Sewer Overflows Panel**
- 
- 3:00 p.m. – 4:30 p.m.**      **Session Twelve – Pavilion A**
- 3:00 p.m. – 3:30 p.m.      **Demonstrating the Benefits of 3D Building Information Modeling**  
*Julian Hoyle, P.E., Vice President, CH2M Hill*
- 
- 3:30 p.m. – 4:00 p.m.      **Solids Handling Facilities for Membrane Sludge**  
**City of North Las Vegas Water Reclamation Facility**  
*Joseph R. Popeck, P.E., Greeley and Hansen, LLC*
- 
- 4:00 p.m. – 4:30 p.m.      **Advanced Biological Odor Control for**  
**Wastewater Treatment Plants**  
*Daryl Letto, P.E., Process Engineering, BIOREM Technologies*

**Friday, March 24, 2006**

**8:10 a.m. – 9:40 a.m.      Session Thirteen – *Pavilion B***

8:10 a.m. – 8:40 a.m.      **Running a Small WWTF for Reclamation/Reuse  
Lessons from Five Years of Experience @ Rolling “A” WWTF**  
*William K. Faisst, Vice President, Brown and Caldwell*  
*Skeet Sellers, Wastewater Superintendent, Lyon County Ut.*

---

8:40 a.m. – 9:10 a.m.      **More Capacity on the Fly: The 3<sup>rd</sup> Expansion of Rolling “A”**  
*William K. Faisst, Vice President, Brown and Caldwell*  
*Donette Barreto, Utilities Engineer, Lyon County Utilities*

---

9:10 a.m. – 9:40 a.m.      **BNR Startup & Operation at the City of Henderson WRF**  
*Howard Analla, Treatment Process Manager*  
*City of Henderson*

---

**8:10 a.m. – 9:40 a.m.      Session Fourteen – *Pavilion C***

8:10 a.m. – 8:55 a.m.      **Operation Experience with the Largest Avg. Day Flow MBR  
in North America**  
*Minggang Liu, Senior Wastewater Process Engineer, GE-ZENON*

---

8:55 a.m. – 9:40 a.m.      **What Every Board Member Should Know About Health,  
Safety and Risk Management**  
*John Bannen, Sr. Client Service Representative*

---

**8:10 a.m. – 9:40 a.m.      Session Fifteen – *Pavilion A***

8:10 a.m. – 8:40 a.m.      **Total Water Management: Going Green in the Face of  
Population Growth & Water Scarcity**  
*Trevor Hill, President & CEO, Global Water Resources*

---

8:40 a.m. – 9:10 a.m.      **Water Pipeline Condition Assessment**  
*Holly McNaught, Water/Wastewater EIT*  
*HDR Engineering*

---

9:10 a.m. – 9:40 a.m.      **Innovative Treatment Alternatives for Small Communities  
in Rural Nevada**  
*Kirk Peterson, President, SPB Utility Services, Inc.*

**10:15 a.m. – 11:45 a.m.      Session Seventeen – Pavilion C**

10:15 a.m. – 10:45 a.m.      **Comparison Study of Methods for  
Determining MPN for Coliform**  
*Lillie Fleming, Chemist, City of Henderson*

---

10:45 a.m. – 11:15 a.m.      **A Novel Approach to Enhanced Water Recovery  
from Reverse Osmosis Brines**  
*Riz Martinetti, Graduate Research Assistant  
UNR Dept. of Civil and Environmental Engineering*

---

11:15 a.m. – 11:45 a.m.      **City of Tracy Wetlands and Habitat Enhancement Project**  
*Vijay Kumar, P.E., Vice President, CH2M Hill*

---

**10:15 a.m. – 11:45 a.m.      Session Eighteen – Pavilion A**

10:15 a.m. – 10:45 a.m.      **The Simultaneous Removal of Arsenic and  
Manganese for Water in Northern Nevada**  
*H.C. Liang, Senior Engineer  
Rothberg, Tamburini and Winsor, Inc.*

---

10:45 a.m. – 11:15 a.m.      **Cashing Out on Cows: Anaerobic Digestion:  
Recovering Energy through Technology**  
*Rudy Kilian, Engineer, Carollo Engineers*

---

11:15 a.m. – 11:45 a.m.      **Technical Resources for Pre-treatment Programs  
and Dischargers**  
*John Handzo, Pollution Prevention Projects Manager  
Business Environmental Program  
UNR Small Business Development*